# Limitation of ARIMA models in financial and monetary economics

#### Andreea-Cristina PETRICĂ

Bucharest University of Economic Studies, Romania andreea.petrica@yahoo.com

#### Stelian STANCU

Bucharest University of Economic Studies, Romania stelian.stancu@csie.ase.ro

#### Alexandru TINDECHE

Bucharest University of Economic Studies, Romania tindeche\_alex@yahoo.com

**Abstract.** Abandoning the classical econometric modeling approach which consists in using explanatory variables (suggested by economic theory for prediction), we choose instead to use a sophisticated method developed by Box and Jenkins (1970) based solely on the past behavior of the variable being modeled/forecast.

As we are in a data-rich environment and the economies and financial markets are more integrated than ever before, the quantitative methods in business and finance has increased substantially in recent years.

This paper investigates the limitation of autoregressive integrated moving average (ARIMA) models in financial and monetary economics using the behavior of BET Index and EUR/RON exchange rates, respectively. Two important features discovered in the analysis of financial time series in this paper are fat-tails (large losses or gains are coming at a higher probability than the normal distribution would suggest) and volatility clustering, these empirical properties can't be captured by integrated ARMA models, hence the limitation of these models.

**Keywords:** Time Series Analysis, Autoregressive Integrated Moving Average, Forecast, BET Index, Exchange Rates, Box-Jenkins approach.

**JEL Classification:** C13, C22, C51, C52, C55, C58.

#### 1. Introduction. Literature review

Unsurprisingly, Financial Economics represents the most empirical discipline of the economics/social science branches, showing a rapid increase of its usage in practice as well as stabilizing and facilitating growth of global economy. On the other hand, a strong economy is based on a well-established stock market, which is volatile by nature. Volatility affects, directly or indirectly, many factors such as: interest rates, currency exchange rates, imports, exports, GDP, and so forth. For example, a change in monetary policy leads to a change in the interest rates which affects the stock market return.

Also, risk managers are interested in forecasting the evolution of prices and risk factors. This can be done using only current and past observations which represents a key topic in time series analysis. Volatility as a phenomenon as well as a concept remains central to modern financial markets and academic research.

Researches regarding the predictability of exchange rates and financial asset returns have been under examination over the years and are still being studied stoutly:

It was shown by Akaike, H. (1976) that monetary approach can outperform the Random Walk model in an out-of-sample forecast exercise by incorporating a money demand function with a partial adjustment mechanism.

Starting with 1983 (Meese and Rogoff) forecasts of exchange rates using models based on Random Walk exceeded models based on the macroeconomic indicators, but this efficiency is lost when we are dealing with a time horizon that is extended by more than 12 months. It seems that empirical models used in seventies for exchange rates prediction fit well in sample, but we can't say the same thing if we consider an out-of-sample forecast.

Mark, N.C. (1995) presents evidence that long-horizon changes in the logarithm of spot exchange rates are predictable, motivated by a monetary model of exchange rate determination and is defined to be a linear combination of log relative money stocks and log relative real incomes. So, he found that the empirical exchange rate models were helpful in predicting long-horizons by investigating the movements of the U.S. Dollar price against four major currencies: the Canadian Dollar, Deutsche Mark, Swiss Franc, and the Japanese Yen, in a time period of 18 years (quarterly observations, from 1973:2 to 1991:4). In addition, subsequent works have questioned on whether exchange rates can be forecast at long-horizons, which leads to a weak consensus that models are not very helpful in predicting.

The economists Bellgard C. and Goldschmidt P. (1999) tried in nineties to forecast exchange rates using integrated *ARMA* models, but they have found these models are not suitable.

Weisang, G. and Awazu, Y. (2008) used integrated *ARMA* models for modeling USD/EUR exchange rate. They found that the series of monthly USD/EUR exchange rate for the period 1994:01 to 2007:10 was best modeled by a linear relationship between the current value and its preceding three values. They also lead to the conclusion that *ARIMA*(1.1.1) is the most adequate model for the prediction of the analyzed time series.

Finn, D. B. (2010) compares two monetary models: the flexible-price against rational-expectations, and conclude that the second one performs just as good as the Random Walk model. Another aspect presented in "Structural Time Series Model for the Analysis of exchange Rate of Naira" was about nominal exchange rate whose behavior was thought for long time to be described good by the Naïve Random-Walk (*NRW*) model. This leads to the conclusion of the inexistence of certain systematic economic forces in determining the foreign exchange rates.

Another example of a study using Box-Jenkins methodology is for instance the paper "Exchange-rates Forecasting: Exponential Smoothing Techniques and ARIMA Models", in which the authors investigated the behavior of daily exchange rates of the RON versus the most important currencies in terms of international trade, namely the Euro, United States Dollar, British Pound, Japanese Yen, Chinese Renminbi and the Russian Ruble. (Făt and Dezsi, 2011).

Begu, L.S., Spătaru, S. and Marin, E. (2012) investigated the volatility of foreign exchange rates taking into account the daily RON/EUR exchange rates from 05.01.2009 to 12.10.2012. Trying to capture the key features of the analyzed data, they used several models: *ARCH*, *GARCH*, *EGARCH* and *TGARCH*. "The empirical results suggested that, for modeling the volatility of returns, the estimated *GARCH* models fit the sample data good enough. In practice, the *GARCH*(1,1) process generally seems to work reasonably well." (Begu et al., 2012, pp. 38-39).

Another example of a study using the Box-Jenkins approach in forecasting exchange rates is "The prediction of exchange rates with the use of Auto-Regressive Integrated Moving Average models" in which Spiesová, D. (2014) confirms that to predict the conditional variance and then to estimate the future values of exchange rates (the Czech Koruna, Swedish Krona, British Pound, Polish Zloty, Hungarian Forint and the Romanian Leu vs. Euro), it is adequate to use the ARIMA(1,1,1) model without constant, or ARIMA[(1,7),1,(1,7)] model, where in the long-term, the square root of the conditional variance inclines towards stable value. The author also concluded that using integrated ARMA models presented certain problems in estimating and validating the model and those models are more effective in interpretation of the medium-term value.

The same can be seen in researches regarding financial asset returns. According to Fama, E.F. (1965) all theories are based on the same assumption, the history of a time series data is rich in information – "History repeats itself in that "patterns" of past price behavior will tend to recur in the future." (Fama, 1965, p. 34). He used daily prices, from 1957 to 1962:09:26 (the starting date varies from share to share from 1965:01 to 1958:04), for each of the 30 shares of the Dow-Jones Industrial Average Index, and pointed out an interesting characteristic given by the signs of the autocorrelation coefficients. For the daily differences, he finds out that 23 out of 30 first-order autocorrelations coefficients are positive, while for the four-day differences and nine, respectively, he finds that 21 of the autocorrelation coefficients and 24, respectively, are negative.

In his paper, Kon, S.J. (1984) explains fat-tails and positive skewness regarding daily returns of stocks and indexes making use of a discrete mixture of normal distribution. In financial theory the most important assumptions with respect to asset prices are the multivariate normal distribution and stationarity of the parameters. Moreover, the normality and stationarity represent required assumptions to most econometric models.

Lo, A.W. and MacKinlay, A.C. (1988) applying a test relied on variance estimators provide additional evidence regarding the Non-Random Walk evolution of the stock prices. Another interesting thing shown in the paper is given by the positive autocorrelation of the weekly returns on portfolios and the negative one for the individual securities.

Conrad, J., Kaul, G. and Nimalendran, M. (1991) show interest in some scheming properties of time series behavior of short-horizon asset returns and portfolios revealed in many papers regarding the positively autocorrelated portfolio returns and the negatively autocorrelated short-horizon individual asset returns. The first one implies that returns are foreseeable and the rank of the positive autocorrelation is inversely proportional to the size of the company.

Later on, Chang, K-P. and Ting, K.-S. (2000) applied the methodology of Lo and MacKinlay on the weekly Taiex Index (Taiwan composite value-weighted stock market index) for the period 1971-1996 and concluded the movements do not fit a Random Walk. It is likely that using the same methodology on more current data it can lead to different results since the Taiwan investment climate has changed a lot from 1971.

Cont, R. (2001) underlines some basic properties regarding the assets, price variations and other Financial Markets analysis. These properties are better shaped using volatility clustering, conditional heavy tails and linear autocorrelation. In this case, the abnormality of the residues shows that the traditional tools used in time series modeling (*ARMA* models) cannot be used to predict asset returns. In this case, nonlinear measures of dependence should be taken into account.

Christoffersen, P. (2003) also finds that the distribution of asset prices (returns) is characterized by fat-tails whose capture is decisive for a relevant analysis.

Unlike Chang and Ting's (2000) study upon Taiex Index, extending this study for the period 1996-2006, Lock, D.B. (2007) obtained that the weekly movements of Taiex Index from 1971 to 2006 follow a Random Walk. The gap in results may be thanks to the nature of the market, it being in its early stages till the 1980s and later reaching out maturity.

Tinca, A. (2013) highlights the underlying properties of financial markets using results like conditional heavy tails, negative asymmetry, the aggregational gaussianity is more pronounced for monthly returns compared to weekly returns, volatility clustering, negative correlation between volatility and returns, positive correlation between volatility and trading volume, low significance of the mean of the daily returns. Asset pricing models tend to fail when normality assumptions are taken into account.

## 2. Specification of the ARMA model

Time series represents a source of information for analysis and economic forecast, and reveals knowledge items which are useful for research or economic activity. We may consider time series as a raw material which processed by statistical or econometric methods can highlight recurring issues, analogies, conditionings or benchmarks. More specifically, time series passed through the filter of specific analysis/forecast methods can provide information on: the existence of a dominant evolutionary direction which applies particularly to conditions of normality of the process, appearance of systematic periodic oscillations with chances of repeating as effect and scale in the future, evolution's inertial character of some processes or relatively predictable appearance of the evolution of some processes as a response to some deviations from the past.

The dependence of the adjoining observations represents an inherent characteristic of time series and is of practical significance. Techniques for analyzing this dependence require "the development of stochastic and dynamic models for time series data and the use of such models in important areas of application" (Box et al., 2015, p. 7).

The analysis of time series can be divided in two types of methods, namely:

Spectral analysis, based on frequency components of a data series:

$$y_t = \mu + \sum_{i=1}^{n} [y_{1i} \cos(2\pi f_i t) + y_{2i} \sin(2\pi f_i t)]$$
 (2.1)

where:

 $y_1$  and  $y_2$  are uncorrelated random variables, having zero variance  $\sigma^2(f_i) = 0$ ; the set  $\{f_i\}_{i=\overline{1.T}}$  denotes the frequency at which  $y_t$  is evaluated.

The purpose of the analysis is to show at which frequencies the variable is active.

Time-domain analysis, based on the evolution of a variable with respect to time. It consists of modeling directly the relationships with delay of a series and its history.

The main aim of time series analysis is to evolve mathematical and statistical tools that reflect reality with respect to the analyzed sample data, thus providing plausible description for the population in cause.

Box and Jenkins, who developed in 1970 the technique for modeling time series known as the Box-Jenkins approach, stated that financial time series are not stationary since the mean changes over time, so they proceeded to differentiate the data in order to obtain stationarity. Thus, if the initial data was considered as being described by the random variable Y, the input for the Box-Jenkins technique would be described by the new variable  $Y^{BJ}$ . This model takes into consideration only the past values and past errors of the analyzed variable whose mathematical representation is as follow:

$$Y_t^{BJ} = f\left(Y_{t-1}^{BJ}, \dots, Y_{t-p}^{BJ}\right) + g\left(\varepsilon_{t-1}, \dots, \varepsilon_{t-q}\right) + \varepsilon_t \tag{2.2}$$

hence the difference from the traditional econometric model. The model above is the autoregressive integrated moving average process for Y, noted ARIMA(p, d, q).

We start to describe mathematically the ARMA(p,q) model by introducing those two components, AR(p) process and MA(q) process, presented in "Financial Econometrics: From Basics to Advanced Modeling Techniques".

An autoregressive process, noted as AR(p), represents a process where the present value of a time series is described by a function of its p - past values. The mathematical representation of the AR(p) process is given by the following equation (the p -th order difference equation):

$$y_{t} = \alpha_{1} y_{t-1} + \alpha_{2} y_{t-2} + \dots + \alpha_{p} y_{t-p} + \varepsilon_{t}$$
(2.3)

where:

 $y_t$  - the realisation of the dependent variable Y at time t;

 $y_{t-1}$ ,  $y_{t-2}$ , ...,  $y_{t-p}$  - the realisation of the lagged dependent variables;

 $\alpha_1$ ,  $\alpha_2$ , ...,  $\alpha_p$ - the unknown parameters of the model,  $\alpha_1 \neq 0$ ;

 $\varepsilon_t$  - the value of the disturbance term at time t, i.i.d.  $\varepsilon_t \sim N(0, \sigma^2)$ ;

p - the number of lagged values of Y and represents the order of the process.

Consider L the lag operator, the equation of an AR(p) process is then:

$$(1 - \alpha_1 L - \alpha_2 L^2 - \dots - \alpha_n L^p) \gamma_t = \varepsilon_t \tag{2.4}$$

or, equivalently

$$\alpha(L)y_t = \varepsilon_t \tag{2.5}$$

where:  $\alpha(L) = 1 - \alpha_1 L - \alpha_2 L^2 - \dots - \alpha_p L^p$  and represents the autoregressive polynomial.

A moving average process, noted as MA(q), represents a process where the present value of a time series is described by a function of its current and q - past disturbances (lagged errors). The mathematical representation of the MA(q) process is given by the following equation:

$$y_t = \varepsilon_t + \beta_1 \varepsilon_{t-1} + \beta_2 \varepsilon_{t-2} + \dots + \beta_q \varepsilon_{t-q}$$
 (2.6)

where:

 $y_t$  - the realisation of the dependent variable Y at time t;

 $\varepsilon_{t-1}$ ,  $\varepsilon_{t-2}$ , ...,  $\varepsilon_{t-q}$  - the realisation of the lagged disturbances;

 $\beta_1$ ,  $\beta_2$ , ...,  $\beta_q$  - the unknown parameters of the model,  $\beta_q \neq 0$ ;

 $\varepsilon_t$  - the current value of the disturbance term, i.i.d.  $\varepsilon_t \sim N(0, \sigma^2)$ ;

p - the number of lagged values of Y and represents the order of the process.

Without losing any generality, in the above representation of a MA(q) process, we assumed that the coefficient of  $\varepsilon_t$  equals 1. This restriction is important, otherwise being unable to identify the coefficient of  $\varepsilon_t$  or  $\sigma^2$ . Thus, if we assume  $\beta_0$  being the coefficient of  $\varepsilon_t$ , then it is required either restriction  $\beta_0 = 1$  or  $\sigma^2 = 1$ .

In the case of  $\beta_0 \neq 1$ , we can rewrite the following equation

$$y_t = \beta_0 \varepsilon_t + \beta_1 \varepsilon_{t-1} + \beta_2 \varepsilon_{t-2} + \dots + \beta_q \varepsilon_{t-q}$$
 (2.7)

in terms of standardized disturbances as:

$$y_t = \sigma u_t + \beta_1 \sigma u_{t-1} + \dots + \beta_q \sigma u_{t-q}, \text{ with } Var(u_t) = 1,$$
(2.8)

where  $u_t = \frac{\varepsilon_t}{\sigma}$  and  $Var(\varepsilon_t) = \sigma^2$ .

Consider L the lag operator, the equation of a MA(q) process is then:

$$y_t = (\beta_0 + \beta_1 L + \beta_2 L^2 + \dots + \beta_a L^q) \varepsilon_t \tag{2.9}$$

or, equivalently

$$y_t = \beta(L)\varepsilon_t \tag{2.10}$$

where  $\beta(L) = \beta_0 + \beta_1 L + \beta_2 L^2 + \dots + \beta_q L^q$  and represents the moving average polynomial of degree q with  $b_0 \neq 0$ .

The two processes discussed above can be seen as particular cases of a mixed autoregressive moving average process, noted ARMA(p,q), that represents the current value of a time series depending upon its past values and on the preceding residual values, given by the following equation:

$$y_t = \alpha_1 y_{t-1} + \alpha_2 y_{t-2} + \dots + \alpha_p y_{t-p} + \varepsilon_t + \beta_1 \varepsilon_{t-1} + \beta_2 \varepsilon_{t-2} + \dots + \beta_q \varepsilon_{t-q}$$
 (2.11)

or it can be rewritten in terms of the autoregressive and moving average polynomials as:

$$\alpha(L)y_t = \beta(L)\varepsilon_t. \tag{2.12}$$

The benefit of choosing a mixed autoregressive moving average process instead of simple autoregressive process or moving average process arises from a thrifty model with few unknown parameters.

An autoregressive integrated moving average process, noted as ARIMA(p,d,q), is an ARMA model where instead of  $Y_t$  we are dealing with the differenced series of  $Y_t$ , and it has the following general form:

$$\alpha(L)\Delta^d y_t = \beta(L)\varepsilon_t$$
, with  $\Delta^0 = 1$  (2.13)

where:

 $\alpha(L)$ ,  $\beta(L)$ ,  $\varepsilon_t$  - have the meaning set out in this paper;

 $\Delta^d y_t$  - the new time series obtained by differentiating the initial series  $\{y_t\}$  d - times.

According to Kennedy (2008), the Box-Jenkins methodology for constructing *ARIMA* process has three main steps:

Step 1. Identification/model selection – one must determine the order of each component of ARIMA process i.e., p, d, q.

Step 2. Estimation of the model parameters;

Step 3. Diagnostic checking or adequacy of the model. The most important and difficult step is given by the trial and error identification of the model based on correlogram. "In this respect the Box-Jenkins method is an art form, requiring considerable experience for a researcher to be able to select the correct model." (Kennedy, 2008, p. 298).

## 3. Data and methodology

Given the growing importance of the current elements of uncertainty and stock exchanges, uncertainty reflected in both the volatility of financial instruments prices (shares, bonds, derivatives), and in interest rates and foreign exchange rates, this paper aims the following aspects:

- presenting the functionality of Box-Jenkins methodology in two case studies: Romanian *GDP* and weekly United States regular gasoline price, respectively;
- showing the limitation of *ARIMA* models in financial and monetary economics using on the one hand the BET Index analysis, and on the other hand the EUR/RON exchange rate analysis.

## 3.1. The functionality of Box-Jenkins methodology

#### 3.1.1. Romanian GDP

The advantages of integrated *ARMA* models are presented in Stancu, S. (2011) where the analyzed time series is Romanian *GDP* from 2000 to 2010, quarterly data obtained from the official website of the National Institute of Statistics<sup>(1)</sup>.

To achieve the adequate ARIMA(p,d,q) model, the GDP series was tested for stationarity by applying the unit root tests: Augmented Dickey-Fuller (Dickey and Fuller, 1979) and Phillips-Perron (Phillips and Perron, 1988). Besides tests of stationarity, the chart series and correlogram also indicated that the GDP series is non-stationary and presents serial autocorrelation for the first fourteen lags.

**Table 1.** Augmented Dickey-Fuller (ADF) test with a constant and linear trend and Phillips-Perron (PP) test with a constant, respectively, applied on Romanian GDP series

Indicators		Unit root tests	Unit root tests		
		PP	ADF		
		Constant	Constant, Linear Trend		
t-Statistic (Prob.)		-1.215748	-3.113834		
		(0.6591)	(0.1174)		
	1%	-3.592462	-4.211868		
t-critical	5%	-2.931404	-3.529758		
	10%	-2.603944	-3.196411		

Source: Stancu, 2011.

Since the null hypothesis is not rejected and the *GDP* series is non-stationary, it is necessary to proceed to its transformation. After the first difference, the autocorrelation coefficients are close to zero which leads to the conclusion that this new series is stationary as can be seen from table below.

 Table 2. Phillips-Perron (PP) test with a constant for the new GDP series (i.e., DGDP)

Indicators		Phillips-Perron unit root test
		Constant
t-Statistic (Prob.)		-15.90439
		(0.0000)
	1%	-3.596616
t-critical	5%	-2.933158
	10%	-2.604867

Source: Stancu, 2011.

The output of Eviews for descriptive statistics presented in Table 3 shows that the stationary series is characterized by: mean = 3402.426 million RON in current prices (GDP) has evolved from one quarter to another, on average, by 3402.426 million RON in current prices), and we can say that the new series follows an approximately normal distribution, asymmetric and flatter.

Table 3. Descriptive Statistics of Romanian GDP

Tuble C. Descriptive Statistics of Romanie				
DGDP				
Mean	3402.426			
Median	9998.200			
Maximum	25922.10			
Minimum	-64904.80			
Std. Dev.	22367.52			
Skewness	-1.597471			
Kurtosis	4.727696			

DGDP		
Jarque-Bera	23.63671	
Probability	0.000007	
Sum	146304.3	
Sum Sq. Dev.	2.10E+10	
Observations	43	

Source: Stancu, 2011.

Next step consists in seasonality detection and its deseasonalisation using the moving average method. The result is a new time series, *DGDPSA*, that is the first difference of *GDP* seasonal adjustment.

Correlogram analysis reveals that the autocorrelation function (*ACF*) has the first thirteen values greater than zero and decreasing, and the partial autocorrelation function (*PACF*) has the first five values different from zero. So, the series has a moving average component with the number of lagged values at most equal to 13 and an autoregressive component with the number of lagged equal to 5.

The parameters of the autoregressive moving average model will be estimated using the stationary and seasonally adjusted series. Since "it is therefore recommended not to insist on unambiguous determination of the model order, but to try more models" (Spiesová, 2014, p. 31), using Eviews software were estimated nine models. After estimating the parameters of those nine equations, the output reveals that all the autoregressive models are statistically valid ( $F_{statistical} > F_{critical}$  and  $F_{statistical} > 0.05$ ).

In order to verify whether the model is adequate we proceed to test the residues. Since Durbin-Watson statistics are close to 2, it follows that residues are not serial correlated. Heteroskedasticity of residues is tested using White test, according with there are several valid models: AR(5), ARMA(4,2), ARMA(3,1), ARMA(3,2), ARMA(6,1), ARMA(5,3) and ARMA(1,1) as can be seen from the results presented in Table 4.

Table 4. Heteroskedasticity of residues using White test


Model	LM=Obs*R-squared	Heteroskedasticity of residues
AR(5)	LM = $1.137 < \frac{2}{0.05,6} = 12.59$	Residues are homoscedastic.
ARMA(4,2)	LM = $6.593 < \frac{2}{0.05,7} = 14.07$	Residues are homoscedastic.
ARMA(3,1)	LM = $2.595 < \frac{2}{0.05.5} = 11.07$	Residues are homoscedastic.
ARMA(3,2)	LM = $10.069 < \frac{2}{0.05,6} = 12.59$	Residues are homoscedastic.
ARMA(6,1)	$LM = 8.869 < \frac{2}{0.05,7} = 14.07$	Residues are homoscedastic.
ARMA(5,3)	LM = $11.58 < \frac{2}{0.05}, g = 16.92$	Residues are homoscedastic.
ARMA(1,1)	LM = $6.747 < \frac{2}{0.05,3} = 7.81$	Residues are homoscedastic.

Source: Stancu, 2011.

In *Econometrie. Teorie și aplicații utilizând Eviews*, the Romanian quarterly *GDP* was predicted with the use of ARMA(3,2), the selection of the best model being achieved based on the classical criteria (the greatest value of adjusted R-squared,  $\bar{R}^2=84.03\%$ ) and taking into account that all coefficients are significantly different from zero it is given by the following equation:

$$\begin{split} PIB_t &= 2860.192 - 0.9635 PIB_{t-1} - 0.94734 PIB_{t-2} - 0.84796 PIB_{t-3} + 1.156 \varepsilon_t \\ &\quad + 0.9999 \varepsilon_{t-1} \end{split} \tag{3.1.1}$$

The forecast range for Romanian GDP using ARMA(3,2) model, at a 95% interval, is exhibited in Figure 1.



Source: Stancu, 2011.

#### 3.1.2. Weekly US regular gasoline price

The weekly U.S. gasoline price (expressed as Dollars per Gallon) is investigated using R software in the paper "An Introduction to Analysis of Financial Data with R" and it is collected from data base of U.S. Energy Information Administration<sup>(2)</sup>. The study period is from January 06, 1997 to September 27, 2010.

Considering the price fluctuation, the analysis begins with the log price series. The time plot of the log price series indicates non-stationarity. After the first difference (logarithmic returns), the autocorrelation coefficients are close to zero which leads to the conclusion that this new series is weakly stationary.

Correlogram analysis reveals the partial autocorrelation function (PACF) has the first five values different from zero that indicates an autoregressive component with the number of lags equal to 5. The fitted AR(5) model without the constant is given by the following equation in terms of the autoregressive polynomial:

$$(1 - 0.504L - 0.079L^2 - 0.122L^3 + 0.101L^5)y_t = \varepsilon_t.$$
(3.1.2.1)

Since model identification is specified empirically, an alternative is thinking about an ARMA(1,3) model for the weekly growth rates of U.S. gasoline price. The equation of the fitted ARMA(1,3) model, in terms of the autoregressive polynomial, is then:

$$(1 - 0.633L)y_t = (1 - 0.127L + 0.141L^3)\varepsilon_t. (3.1.2.2)$$

Thus, there are two suitable models for the weekly growth rates of U.S. gasoline price, AR(5) and ARMA(1,3), respectively. Determining which model is kept for forecasting represents the final step of model fitting. The selection of the best model is achieved based on Akaike Info Criterion (AIC). As  $AIC_{ARMA(1,3)} = -3704.6$  is bigger than  $AIC_{AR(5)} = -3704.96$ , the selected model for forecasting is the AR(5) model since having a model with a smaller error variance is better.

Therefore, the AR(5) model stands for predicting the U.S. gasoline price more than 10 days in advance. The results of out-of-sample forecast for the weekly growth rates of U.S. gasoline price, with the forecast origin on January 24, 2003, are presented below:

**Table 5.** Out-of-Sample Results using R software

Particulars	AR(5) model
Root Mean Square Errors (RMSE)	0.02171
Mean Absolute Errors (MAE)	0.01538

Tsay, R.S. (2013). An Introduction to Analysis of Financial Data with R., New Jersey: John Wiley & Sons, Inc., Hoboken.

### 3.2. Limitation of ARIMA models in financial and monetary economics

## 3.2.1. Application of Box-Jenkins methodology using BET Index

Our analysis takes into account Bucharest Exchange Trading Index (BET Index), daily quotations for the time period of September 22, 1997 to May 18, 2015, which involves investigating a time series of 4350 observations, and monthly quotations of the same index for the time period of September/1997 to April/2015 (211 observations). The data were collected from Bloomberg data base.

BET Index represents the benchmark index for the local capital market reflecting the evolution of ten most liquid companies listed on Bucharest Stock Exchange regulated market, except for financial investment companies (SIFs)<sup>(3)</sup>.

To achieve the adequate ARIMA(p, d, q) model, daily BET Index series was tested for stationarity through graphical representation, analyzing the behavior of autocorrelation and partial autocorrelation functions and also using the unit root tests (Augmented Dickey-Fuller and Phillips-Perron, respectively).

The evolution of daily BET Index prices from September 22, 1997 to May 18, 2015 is exhibited in Figure 2:



Figure 2. Daily BET Index prices from September 22, 1997 to May 18, 2015

Source: Bloomberg.

The evolution of daily BET Index prices indicates that the series has constant and trend (ascending, descending and then ascending again).

Daily BET Index prices correlogram reveals very high autocorrelations for the first two lags, 0.999 respectively, with values decreasing very slowly for the next lags, reaching a value of 0.971 at the 36<sup>th</sup> lag. This leads to the conclusion that the aforementioned series is non-stationary.

High Q-Stat test values together with Prob. < 5% to all lags confirms the presence of autocorrelation hence it is therefore a stochastic process without white noise in residues.

Non-stationarity is also highlighted by applying the Augmented Dickey-Fuller and Phillips-Perron tests, as can be seen from the table below:

Table 6. The results of Augmented Dickey-Fuller and Phillips-Perron tests for daily BET Index prices

Indicators		Daily BET Index pric	Daily BET Index prices		
		Constant	Constant, Linear Trend	None	
ADF			-0.871602	-1.383817	0.541844
Test			(0.7976)	(0.8658)	(0.8331)
		1%	-3.431670	-3.960149	-2.565494
	t-critical	5%	-2.862008	-3.410838	-1.940897
		10%	-2.567062	-3.127218	-1.616651
С	•		1.421662	0.735385	
C		t-Statistic (Prob.)	(0.1552)	(0.4621)	
@TREI	ND(4)	t-Statistic (Prob.)		1.080134	
@IKE	ND(1)			(0.2801)	
	•	•			
PP	PP t-Statistic (Prob.) Test		-0.930643	-1.470200	0.446824
Test			(0.7790)	(0.8397)	(0.8106)
	t-critical	1%	-3.431670	-3.960149	-2.565494


Indicators		Daily BET Index prices			
indicators		Constant	Constant, Linear Trend	None	
	5%	-2.862008	-3.410838	-1.940897	
	10%	-2.567062	-3.127217	-1.616651	
C		1.410547	0.753295		
С	t-Statistic (Prob.)	(0.1584)	(0.4513)		
@TREND(1)			1.023191 (0.3063)		
Conclusions		The series is non-stationary	The series is non-stationary	The series is non-	
		and the intercept is not	and both intercept and	stationary.	
		significant.	trend are not significant.		

Source: Own calculations.

Since the null hypothesis H<sub>0</sub>: "Series has a unit root" is not rejected for 1%, 5% and 10% significance level, the non-stationarity of the analyzed time series is removed by transforming it into continuously compounded returns (logarithmic yields). Decision to use daily returns was based on Strong N. (1992) approach according to which logarithmic returns have a good chance of being normally distributed. Likewise, empirical properties such as stationarity and ergodicity are owned by logarithmic returns and not by prices.

The evolution of daily BET Index returns from September 22, 1997 to May 18, 2015, exhibited in Figure 3, indicates that the logarithmic return series appears to be stationarity.

Figure 3. The evolution of daily BET Index returns



Source: Own calculations.

The ACF and PACF coefficients of daily returns series are close to zero at all lags, starting from 0.098 at lag 1, and decreasing quickly at lag 2 (0.038 and 0.029, respectively), which leads to the conclusion that the series of daily returns is generated by a Random Walk process. This is also confirmed by statistical ADF and PP tests. Table 7 exposes the findings of the ADF and PP tests which confirms that the return series of the BET Index is stationary for common levels of significance (1%, 5% and 10%, respectively) and Prob. < 0.05.

Table 7. The results of Augmented Dickey-Fuller and Phillips-Perron tests for daily BET Index returns

Indicators		oj magmen	Daily BET Index returns			
			Constant Constant, Linear Trend		None	
ADF	t-Statistic	(Prob.)	-59.73285	-59.72600	-59.70382	
Test			(0.0001)	(0.0000)	(0.0001)	
		1%	-3.431670	-3.960149	-2.565494	
	t-critical	5%	-2.862008	-3.410838	-1.940897	
		10%	-2.567062	-3.127218	-1.616651	
^			1.534739	0.807145		
С		t-Statistic	(0.1249)	(0.4196)		
@TDENE	\/ <b>4</b> \	(Prob.)		-0.046275		
@IKENL	@TREND(1)			(0.9631)		
PP Test	t-Statistic	(Prob.)	-60.31756	-60.31113	-60.32571	
			(0.0001)	(0.0000)	(0.0001)	
		1%	-3.431670	-3.960149	-2.565494	
	t-critical	5%	-2.862008	-3.410838	-1.940897	
		10%	-2.567062	-3.127218	-1.616651	
С			1.534739	0.807145		
C		t-Statistic	(0.1249)	(0.4196)		
@TREND(1) (Prob.)		(Prob.)		-0.046275		
				(0.9631)		
Conclusions			The time series of returns is	The time series of returns is	The time series of	
			stationary and the intercept	stationary, and both intercept	returns is stationary.	
			is not significant.	and trend are not significant.		

Source: own calculations.

Table 8 points out descriptive statistics for the two time series, daily BET Index prices and returns. The conclusions drawn from the analysis of descriptive statistics for daily time series are as follows:

- distribution of daily price series reveals positive asymmetry (Skewness = 0.138582 > 0), while the distribution of daily returns shows negative asymmetry (Skewness = -0.227395 < 0);
- distribution of daily prices is platykurtic (Kurtosis = 1.877349 < 3), while the distribution of daily returns is leptokurtic (Kurtosis = 15.70472 > 3);
- Jarque-Bera statistics indicates that both series have abnormal distributions, the time series of returns presenting an extraordinarily high value (Jarque − Bera = 29286.28), and the probability of accepting the hypothesis of normality is zero in both cases.

**Table 8.** Descriptive Statistics of daily time series

Indicators	BET Index prices	BET Index returns
Skewness	0.138582	-0.227395
Kurtosis	1.877349	15.70472
Jarque-Bera	242.3053	29286.28
Probability	0.000000	0.000000

Source: own calculations.

It is worth noting that most of securities have such distributions as above and also the probability of occurrencing an extreme event into a leptokurtotic distribution is higher than the probability of occurrence in a normal distribution, and vice versa.

The analysis of BET Index returns correlogram reveals that we can try to estimate an ARMA model. Thus, the optimal values of p and q corresponding to AR(p) and MA(q) models is maximum 3 and we proceed to identify the ARMA model by trial-and-error. Using Eviews software five models are estimated: AR(1), MA(1), MA(2), ARMA(1,1)

and *ARMA*(1,2), followed by checking whether each model found is appropriate. This is done applying statistical tests for residues: absence of autocorrelation (residues correlogram, Q-statistics or LM test), homoskedasticity (White Heteroskedasticity test) and normality (Histogram – Normality test).

We predict daily BET Index using ARMA(1, 2), the selection of the best model being achieved based on Akaike Info Criterion (we aim finding a model with a smaller error variance, AIC = -5.179848), as can be seen from Table 9:

$$BET_{t}^{daily} = 0.000469 - 0.631639 BET_{t-1}^{daily} + \varepsilon_{t} + 0.728061 \varepsilon_{t-1} + 0.093907 \varepsilon_{t-2} \quad (3.2.1.1)$$

**Table 9.** Selecting the best model for predicting daily BET Index

The estimated model	Adjusted R-squared	Akaike info criterion	Schwarz criterion	F-statistic (Prob)
AR(1)	0.009453	-5.178942	-5.176008	42.48333 (0.000000)
MA(1)	0.008819	-5.178365	-5.175432	39.68557 (0.000000)
MA(2)	0.010299	-5.179630	-5.175231	23.62318 (0.000000)
ARMA(1,1)	0.010050	-5.179315	-5.174915	23.06602 (0.0000)
ARMA(1,2)	0.010805	-5.179848	-5.173981	16.82781 (0.000000)

Source: own calculations.

We have found that for all analyzed models the normality assumption for residues is not fulfilled. According to specialized studies that happens often to residues of financial time series, hence the limitation of *ARMA* models. The next step is to extend the study of indices by applying models of *GARCH* family.

Table 10. Statistical tests for residues

The estimated model	LM Test		Normal distribution
	F-stat (Prob.)	Obs*R-squared (Prob.)	Jarque-Bera (Prob.)
AR(1)	2.584462	5.167535	36217.11
AK(1)	(0.075553)	(0.075489)	(0.00000)
MA(1)	4.223178	8.437729	35986.78
WA(1)	(0.014712)	(0.014715)	(0.00000)
MA(2)	0.791784	1.584806	34773.34
IVIA(2)	(0.453101)	(0.452755)	(0.00000)
ARMA(1,1)	3.335593	6.668552	35483.54
AKINIA(1,1)	(0.035685)	(0.035640)	(0.00000)
ARMA(1,2)	1.423534	2.849102	34770.81
AKIVIA(1,2)	(0.240974)	(0.240616)	(0.00000)

Source: own calculations.

In an analogous way we proceeded to analyze monthly quotations and observed that conclusions outlined for daily series are also preserved for monthly series. Accordingly, we will make a brief presentation of the obtained results.

Monthly BET Index series is tested for stationarity through graphical representation, analyzing the behavior of autocorrelation and partial autocorrelation functions and also using the unit root tests (Augmented Dickey-Fuller and Phillips-Perron, respectively).

The evolution of monthly BET Index prices from September/1997 to April/2015 indicates that the series has constant and trend (ascending, descending and then ascending again), as can be seen in figure below:



Source: Bloomberg.

Correlogram of monthly BET Index prices reveals very high autocorrelations for the first two lags, 0.983 respectively, with values decreasing very slowly for the next lags, reaching a value of 0.528 at the 20<sup>th</sup> lag. This leads to the conclusion that the aforementioned series is non-stationary.

Q-Stat test confirms the non-stationarity of the analyzed time series which is also highlighted by applying the Augmented Dickey-Fuller and Phillips-Perron tests:

Table 11. The results of Augmented Dickey-Fuller and Phillips-Perron tests for monthly BET Index prices

Indicators			Monthly BET Index	Monthly BET Index prices			
			Constant	Constant, Linear Trend	None		
ADF Test	t-Statistic (Prob.)		-0.941107 (0.7736)	-1.528782 (0.8168)	0.401635 (0.7986)		
		1%	-3.461327	-4.002142	-2.575968		
	t-critical	5%	-2.875062	-3.431265	-1.942338		
		10%	-2.574054	-3.139292	-1.615698	-	
						-	
PP Test	t-Statistic (	(Prob.)	-1.119303	-1.827130	0.173247		
			(0.7083)	(0.6882)	(0.7355)		
		1%	-3.461327	-4.002142	-2.575968	-	
	t-critical	5%	-2.875062	-3.431265	-1.942338		
		10%	-2.574054	-3.139292	-1.615698		
Conclusion			The series is non-sta	ationary.			

Source: own calculations.

The non-stationarity of monthly BET Index prices is removed by converting into return series computed as continuously compounded returns. The evolution of monthly BET Index returns from September/1997 to April/2015 is exhibited in the figure below:




Figure 5. The evolution of monthly BET Index returns

Source: own calculations.

The ACF and PACF coefficients of monthly returns series are close to zero at all lags, starting from 0.205 at lag 1, and decreasing quickly at lag 2 (0.007 and -0.036, respectively), which leads to the conclusion that the series of monthly returns is generated, most likely, by a Random Walk process. This is confirmed by statistical ADF and PP tests. Table 12 exposes the findings of the ADF and PP tests and confirms that the return series of the BET Index is stationary, since the values of the tests are greater, in absolute value, than the critical values for common levels of significance (1%, 5% and 10%, respectively) and Prob. < 0.05.

Table 12. The results of Augmented Dickey-Fuller and Phillips-Perron tests for monthly BET Index returns

Indicators			Monthly BET Index	Monthly BET Index returns		
			Constant	Constant, Linear Trend	None	
ADF Test	t-Statistic (Prob.)		-11.70085 (0.0000)	-11.67268 (0.0000)	-11.63434 (0.0000)	
		1%	-3.461478	-4.002354	-2.576020	
	t-critical	5%	-2.875128	-3.431368	-1.942346	
		10%	-2.574090	-3.139353	-1.615693	
				·	•	
PP Test	t-Statistic (Prob.)		-11.74997	-11.72206	-11.72356	
			(0.0000)	(0.0000)	(0.0000)	
		1%	-3.461478	-4.002354	-2.576020	
	t-critical	5%	-2.875128	-3.431368	-1.942346	
		10%	-2.574090	-3.139353	-1.615693	
Conclusion	•	•	The series is station	ary.	•	

Source: own calculations.

Table 13 points out descriptive statistics for the two time series, monthly BET Index prices and returns. The conclusions that we can draw from the analysis of descriptive statistics for the monthly time series are:

- distribution of monthly prices reveals positive asymmetry (Skewness = 0.173164 > 0), while the distribution of monthly returns shows negative asymmetry (Skewness = -0.806950 < 0);
- distribution of monthly prices is platykurtic (*Kurtosis* = 1.869338 < 3), while the distribution of daily returns is leptokurtic (*Kurtosis* = 6.527186 > 3);

Jarque-Bera statistics indicates that both series have abnormal distributions (Jarque – Bera = 12.35200 and 132.2769, respectively), and the probability of accepting the hypothesis of normality is close to zero in both cases.

**Table 13.** Descriptive Statistics for monthly BET Index prices and returns

Indicators	BET Index prices	BET Index returns
Skewness	0.173164	-0.806950
Kurtosis	1.869338	6.527186
Jarque-Bera	12.35200	132.2769
Probability	0.002079	0.000000

Source: own calculations.

We predict monthly BET Index using ARMA(2,2). Selecting the best model using Akaike Info Criterion (AIC = -1.832137), we obtain the following equation:

$$BET_{t}^{monthly} = 0.010599 - 1.259707BET_{t-1}^{monthly} - 0.541348BET_{t-2}^{monthly} + \varepsilon_{t} \\ + 1.503900\varepsilon_{t-1} + 0.783401\varepsilon_{t-2}$$
 (3.2.1.2)

Based on BET Index returns correlogram, we estimated the following models: AR(1), MA(1), ARMA(1,2) and ARMA(2,2), followed by checking whether each model found is appropriate. This is done applying statistical tests for residues: absence of autocorrelation (residues correlogram, Q-statistics or LM test), homoskedasticity (White Heteroskedasticity test) and normality (Histogram – Normality test).

Table 14. Selecting the best model for predicting monthly BET Index

The estimated model	Adjusted R-squared	Akaike Info Criterion	Schwarz Criterion	F-statistic (Prob.)
AR(1)	0.037605	-1.772704	-1.740826	9.166532 (0.002776)
MA(1)	0.039002	-1.778670	-1.746899	9.522923 (0.002304)
ARMA(1,2)	0.049836	-1.776109	-1.712354	4.654024 (0.003600)
ARMA(2,2)	0.066649	-1.832137	-1.752177	4.713224 (0.001169)

Source: own calculations.

We have found that for all analyzed models the normality assumption for residues is not fulfilled, hence the maintenance of the conclusions drawn for the daily series.

Table 15. Statistical tests for residues

The estimated model	LM Test		Normal distribution
	F-stat (Prob.)	Obs*R-squared (Prob.)	Jarque-Bera (Prob.)
AR(1)	1.262292	2.542447	88.54354
	(0.285184)	(0.280488)	(0.000000)
MA(1)	0.018358	0.037392	92.43055
	(0.981811)	(0.981478)	(0.000000)
ARMA(1,2)	0.967779	1.941772	75.54996
	(0.381663)	(0.378747)	(0.000000)
ARMA(2,2)	0.488427	0.992468	126.6361
	(0.614314)	(0.608819)	(0.000000)

Source: own calculations.

# 3.2.2. Application of Box-Jenkins methodology using EUR/RON exchange rate

The paper aims to investigate the Box-Jenkins methodology using the EUR/RON exchange rate, daily quotations for the time period from January 03, 2005 to February 19, 2016, which involves investigating a time series of 2829 observations. The data were collected from the official website of the National Bank of Romania<sup>(4)</sup>.

The evolution of the daily EUR/RON exchange rate for the period January 03, 2005 - February 19, 2016 denotes that the series has constant and trend.




Figure 6. The evolution of daily EUR/RON exchange rate

Source: own calculations.

Likewise, the correlogram of daily EUR/RON exchange rate reveals very high autocorrelations for all lags, with values decreasing very slowly and reaching a value of 0.963 at the  $36^{th}$  lag. This leads together with High Q-Stat test values (Prob. < 0.05) to the conclusion that the aforementioned series is non-stationary.

Withal, the Augmented Dickey-Fuller and Phillips-Perron tests mark that the time series is non-stationary.

**Table 16.** The results of Augmented Dickey-Fuller and Phillips-Perron tests for daily EUR/RON exchange rate

Indicators		Daily EUR/RON exchange rate				
			Constant	Constant, Linear Trend	None	
ADF Test	t-Statistic (Prob.)		-0.740810 (0.8345)	-2.473692 (0.3413)	0.670140 (0.8606)	
	t-critical	1%	-3.432474	-3.961291	-2.565781	
		5%	-2.862364	-3.411398	-1.940936	
		10%	-2.567253	-3.127549	-1.616624	
PP Test	t-Statistic (Prob.)		-0.792774 (0.8205)	-2.713431 (0.2311)	0.554067 (0.8358)	
		1%	-3.432471	-3.961287	-2.565780	
	t-critical	5%	-2.862363	-3.411396	-1.940936	
		10%	-2.567253	-3.127548	-1.616624	
Conclusion			The series is non-stationary.			

Source: own calculations.

The null hypothesis is not rejected, therefore we are trying to remove the non-stationarity using return series computed as the difference of the natural logarithm.

Daily EUR/RON return series for the period from January 03, 2005 to February 19, 2016 is exhibited below:




Figure 7. The evolution of daily EUR/RON return series

Source: own calculation.

The ACF and PACF coefficients of daily returns series are close to zero at all lags, starting from 0.177 at lag 1, and decreasing quickly at lag 2 (-0.109 and -0.145, respectively), which leads to the conclusion that the series of daily returns is generated, most likely, by a Random Walk process. Table 17 presents the findings of the ADF and PP tests and confirms that the series of EUR/RON returns is stationary.

Table 17. The results of Augmented Dickey-Fuller and Phillips-Perron tests for daily EUR/RON exchange rate returns

Indicators			Daily EUR/RON Return	IS	
			Constant	Constant, Linear Trend	None
ADF Test	t-Statistic (Prob.)		-35.04889 (0.0000)	-35.04831 (0.0000)	-35.04506 (0.0000)
		1%	-3.432474	-3.961291	-2.565781
	t-critical	5%	-2.862364	-3.411398	-1.940936
		10%	-2.567253	-3.127549	-1.616624
					•
PP Test	t-Statistic	(Prob.)	-43.85462 (0.0000)	-43.84877 (0.0000)	-43.87804 (0.0001)
		1%	-3.432472	-3.961289	-2.565780
	t-critical	5%	-2.862363	-3.411397	-1.940936
		10%	-2.567253	-3.127549	-1.616624
Conclusion			The series is stationary.		•

Source: own calculations.

Table 18 points out descriptive statistics for the two time series, daily EUR/RON exchange rates and returns. The conclusions that we can draw from the analysis of descriptive statistics for the daily time series are:

negative asymmetry (Skewness = -0.586219 < 0) for daily EUR/RON exchange rates and positive asymmetry (*Skewness* = 0.033855 > 0) for returns;

- platykurtic distribution (*Kurtosis* = 1.797290 < 3) for daily EUR/RON exchange rates and leptokurtic distribution (*Kurtosis* = 20.00848 > 3) for returns and it presents fat-tails;
- non-normal distribution for both series (Jarque Bera = 332.5394 and 34088.37, respectively, and the probability of accepting the hypothesis of normality is zero in both cases).

**Table 18.** Descriptive Statistics for daily EUR/RON series over the sample period

Indicators	Daily EUR/RON exchange rates	Daily EUR/RON returns						
Skewness	-0.586219	0.033855						
Kurtosis	1.797290	20.00848						
Jarque-Bera	332.5394	34088.37						
Probability	0.000000	0.000000						

Source: own calculations.

Using Eviews software nine models are estimated based on the correlogram of daily EUR/RON returns and are statistically valid ( $F_{statistical} > F_{critical}$  and  $Prob. (F_{critical}) < 5\%$ ).

Table 19. Statistically valid models

The estimated model	Adjusted R-squared	Akaike info criterion	Schwarz criterion	F-statistic (Prob.)
AR(1)	0.030931	-8.215766	-8.211559	91.19959 (0.000000)
AR(2)	0.050647	-8.236318	-8.230005	76.35598 (0.000000)
AR(3)	0.059900	-8.245432	-8.237012	60.97838 (0.000000)
MA(1)	0.038720	-8.221706	-8.217500	114.8710 (0.000000)
MA(2)	0.041741	-8.224501	-8.218192	62.57165 (0.000000)
MA(3)	0.059250	-8.242588	-8.234176	60.34983 (0.000000)
ARMA(1,2)	0.050392	-8.235346	-8.226932	50.98838 (0.000000)
ARMA(2,1)	0.056591	-8.242245	-8.233828	57.48662 (0.000000)
ARMA(2,2)	0.059075	-8.244528	-8.234007	45.34107 (0.000000)

Source: own calculations.

In accordance with Akaike Info Criterion (minimum AIC = -8.245432), we select the autoregressive model AR(3) to estimate the EUR/RON exchange rate. The equation of AR(3) model is given by:

$$Y_t = 0.0000498 + 0.186885Y_{t-1} - 0.124431Y_{t-2} - 0.100426Y_{t-3} + \varepsilon_t$$
 (3.2.2)

As in the case of BET Index series, the EUR/RON exchange rate series also reveals the non-normality of residues, therefore the limitation of *ARMA* models in monetary economics.

Table 20. Statistical tests for residues

The estimated model	LM Test	·	Normal distribution
	F-stat (Prob.)	Obs*R-squared (Prob.)	Jarque-Bera (Prob.)
AR(1)	26.30613	51.72285	38145.28
AK(I)	(0.000000)	(0.00000)	(0.00000)
AR(2)	14.97831	29.69439	26570.70
AK(2)	(0.000000)	(0.00000)	(0.00000)
AR(3)	0.659732	1.321653	20539.52
AK(3)	(0.517070)	(0.516424)	(0.00000)
MA(1)	23.90158	47.07397	35406.99
IVIA(I)	(0.000000)	(0.00000)	(0.00000)
MA(2)	22.21396	43.81702	32554.97
IVIA(2)	(0.000000)	(0.00000)	(0.00000)
MA(3)	2.518329	5.038309	20948.62
IVIA(3)	(0.080775)	(0.080528)	(0.00000)
ARMA(1,2)	13.17244	26.15661	27507.68
AKIVIA(1,2)	(0.000002)	(0.000002)	(0.00000)
ARMA(2,1)	5.672717	11.32401	22873.36
ANIVIA(2,1)	(0.003478)	(0.003476)	(0.00000)
ARMA(2,2)	1.464084	2.932391	21177.67
ANIVIA(2,2)	(0.231466)	(0.230802)	(0.00000)

Source: own calculations.

#### 4. Results and conclusions

Usually in financial time series data we observe asymmetries, sudden outbreak at irregular time intervals and periods of high and low volatility. The exchange rate data strengthens the idea of this kind of behavior. Integrated *ARMA* models have definite limitations in counterfeiting these properties.

One of the most important features of the integrated ARMA models is the assumption of constant variance, most financial data exhibit changes in volatility and this feature of the data can't be fulfilled under this assumption. The symmetric joint distribution of the stationary Gaussian ARMA models does not fit data with strong asymmetry (as we can observe a strong negative asymmetry for daily EUR/RON exchange rate and positive asymmetry for returns).

Due to the assumption of normality, it is more suitable to use these models with data that have only a negligible probability of sudden burst of very large amplitude at irregular time epochs. These limitations of the integrated *ARMA* models lead us to models where we can retain the general *ARMA* framework, and allow the White Noise (innovations) to be non-Gaussian or abandon the linearity assumption.

Notwithstanding financial time series usually reveals more complex structures than those offered by *ARMA* processes, they may serve as a reference against more complex approaches by representing "a first starting point" (Rachev et al., 2007, p. 201). Since we have shown in this paper the limitation of *ARIMA* models for the analyzed time series, BET Index and EUR/RON exchange rate, respectively, the next step consists in extending the study by applying models of *GARCH* family.

On the other hand, predicting the future values of a variable based on past and current observations as we have pointed out in this paper in cases of Romanian *GDP* and United States regular gasoline price represents a key theme in time series analysis. One thing to keep in mind when we think about *ARMA* models is given by the great power to capture "very complex patters of temporal correlation" (Cochrane, 1997: 25).

## **Notes**

- (1) See http://www.inse.ro/cms/rw/pages/PIB-trim.ro.do;jsessionid=0a02458c30d550d7fda54cdc 43fab67a95089cf660 cf.e38QbxeSahyTbi0Se0
- (2) See http://www.eia.gov/
- (3) See http://www.bvb.ro/FinancialInstruments/Indices/Overview#
- (4) See http://www.bnr.ro/Exchange-rates-1224.aspx

#### References

- Akaike, H., 1976. Canonical correlation analysis of time series and the use of an information criterion. New York: Academic Press.
- Alam, Z., 2012. Forecasting the BDT/USD Exchange Rate using Autoregressive Model. *Global Journal of Management and Business Research*, Vol. 12, No. 19 [Online], Available: <a href="https://globaljournals.org/GJMBR\_Volume12/9-Forecasting-the-BDTUSD-Exchange-Rate-using.pdf">https://globaljournals.org/GJMBR\_Volume12/9-Forecasting-the-BDTUSD-Exchange-Rate-using.pdf</a> [10 April 2015].
- Baig, M.M., Aslam, W. and Bilal, M., 2015. Volatility of stock markets (An analysis of South Asian and G8 countries). *Acta Universitatis Danubius. Œconomica*, Vol. 11, No. 6, pp. 58-70.
- Begu, L. S., Spătaru, S. and Marin, E., 2012. Investigating the Evolution of RON/EUR Exchange Rate: The Choice of Appropriate Model. *Journal of Social and Economic Statistics*, Vol. 1, No. 2, pp. 23-39.
- Bellgard, C. and Goldschmidt, P., 1999. Forecasting across frequencies: Linearity and non-linearity. *Conference Proceedings*. International Conference on Advanced Technology. Australia.
- Box, G.E.P., Jenkins G.M., Reinsel, G.C. and Ljung, G.M., 2015. *Time series analysis: Forecasting and control.* 5<sup>th</sup> edition. New Jersey: John Wiley & Sons. Inc. Hoboken.
- Campbell, J.Y., Lo, A.W. and MacKinlay, A.C., 1997. *The econometrics of financial markets*. New Jersey: Princeton University Press.
- Chang, K.-P. and Ting, K.-S., 2000. A variance ratio test of the random walk hypothesis for Taiwan's stock market. *Applied Financial Economics*, Vol. 10, No. 5, pp. 525-532.
- Christoffersen, P.F., 2003. Elements of financial risk management. San Diego: Academic Press.
- Christoffersen, P.F., 2012. Elements of financial risk management. 2<sup>nd</sup> edition. Academic Press.
- Cochrane, J.H., 1997. *Time Series for Macroeconomics and Finance* [Online], Available: <a href="http://faculty.chicagobooth.edu/john.cochrane/research/papers/time\_series\_book.pdf">http://faculty.chicagobooth.edu/john.cochrane/research/papers/time\_series\_book.pdf</a> [10 April 2015].
- Conrad, J., Kaul, G. and Nimalendran, M., 1991. Components of short-horizon individual security returns. *Journal of Financial Economics*, Vol. 29, pp. 365-384.
- Cont, R., 2001. Empirical properties of asset returns: stylized facts and statistical issues. *Quantitative Finance*, Vol. 1, No. 2, pp. 223-236.
- Dickey, D.A. and Fuller, W., 1979. Distribution of estimators for autoregressive time series with a unit root. *Journal of the American Statistical Association*, Vol. 74, No. 366, pp. 427-431.
- Fama, E.F., 1965. The Behavior of Stock-Market Prices. *Journal of Business*, Vol. 38, No. 1, pp. 34-105.
- Făt, C.M. and Dezsi, E., 2011. Exchange-rates Forecasting: Exponential Smoothing Techniques and ARIMA Models [Online], Available: <a href="http://steconomiceuoradea.ro/anale/volume/2011/n1/046.pdf">http://steconomiceuoradea.ro/anale/volume/2011/n1/046.pdf</a> [21 November 2015].
- Finn, D.B., 2010. Structural Time Series Model for the Analysis of exchange Rate of Naira. UNAAB: Department of Statistics.
- Gregoriou, G.N., 2009. Stock market volatility. New York: CRC Press.

- Kennedy, P., 2008. A guide to econometrics. 6th edition. Wiley-Blackwell. pp. 296-344.
- Kon, S.J., 1984. Models of Stock Returns: A Comparison. The Journal of Finance, Vol. 39, No. 1, pp. 147-165.
- Lo, A.W. and MacKinlay, A.C., 1988. Stock Market Prices do not Follow Random Walks: Evidence from a Simple Specification Test. *The Review of Financial Studies*, Vol. 1, No. 1, pp. 41-66.
- Lock, D.B., 2007. The Taiwan stock market does follow a Random Walk. *Economics Bulletin*, Vol. 7, No. 3, pp. 1-8.
- Mark, N.C., 1995. Exchange Rates and Fundamentals: Evidence on Long-Horizon Predictability. *American Economic Review*, Vol. 85, No. 1, pp. 201-218.
- Meese, R. and Rogoff, K., 1983. The Out-of-Sample Failure of Empirical Exchange Rate Models: Sampling Error or Misspecification?. *University of Chicago Press*, pp. 67-112.
- Nwankwo, S.C., 2014. Autoregressive Integrated Moving Average (ARIMA) Model for Exchange Rate (Naira to Dollar). Academic Journal of Interdisciplinary Studies, Vol. 3, No. 4, pp. 429-433.
- Panait, I. and Slavescu, E.O., 2012. Studiul volatilității și persistenței acesteia pentru diferite frecvențe la Bursa de Valori București cu ajutorul modelului Garch-M (1997-2012). *Theoretical and Applied Economics*, Vol. XIX, No. 5(570), pp. 46-67.
- Pecican, E.Ş., 2003. Econometria pentru... economiști. Bucharest: Economic Publishing House.
- Phillips, P.C.B. and Perron, P., 1988. Testing for a unit root in time series regression. *Biometrika*, Vol. 75, No. 2, pp. 335-346.
- Rachev, S.T., Mittnik, S., Fabozzi, F.J., Focardi, S.M., and Jasic, T., 2007. Financial Econometrics: From Basics to Advanced Modeling Techniques. New Jersey: John Wiley & Sons. Inc. Hoboken.
- Shumway, R.H. and Stoffer, D.S., 2010. *Time Series Analysis and Its Application with R Examples*. 3<sup>rd</sup> edition. New York: Springer.
- Spiesová, D., 2014. The prediction of exchange rates with the use of Auto-Regressive Integrated Moving-Average Models. Acta Universitatis Danubius. Œconomica, Vol. 10, No. 5, pp. 28-38.
- Stancu, S., 2011. *Econometrie. Teorie și aplicații utilizând EViews*. Bucharest: ASE Publishing House.
- Strong, N., 1992. Modelling Abnormal Returns: A Review Article. *Journal of Business Finance & Accounting*, Vol. 19, No. 4, pp. 533–553.
- Tinca, A., 2013. Premise pentru modelarea seriilor de prețuri și de randamente la Bursa de Valori București. *Theoretical and Applied Economics*, Vol. XX, No. 11(588), pp. 79-89.
- Tsay, R.S., 2005. *Analysis of Financial Time Series*. 2<sup>nd</sup> edition. New Jersey: John Wiley & Sons. Inc. Hoboken.
- Tsay, R.S., 2013. An Introduction to Analysis of Financial Data with R. New Jersey: John Wiley & Sons. Inc. Hoboken.
- Tudor, C., 2008. Modelarea volatilității seriilor de timp prin modele GARCH simetrice. *The Romanian Economic Journal*, Vol. XI, No. 30, pp. 183-208.
- Weisang, G. and Awazu, Y., 2008. Vagaries of the Euro: An Introduction to ARIMA Modeling. The Case Studies in Business. *Industry and Government Statistics (CSBIGS) Journal*. Vol. 2, No. 1, pp. 45-55.
- http://www.inse.ro
- http://www.bvb.ro/FinancialInstruments/Indices/IndicesProfiles